

Support for bereavement following child loss: A rapid umbrella review of reviews

Complete Search Strategies

Original searches

MEDLINE (PubMed)

```
((("Bereavement"[Mesh] OR bereavement[tiab] OR "Grief"[Mesh] OR grief[tiab]) AND (care[tiab] OR "Community Support"[Mesh] OR "Social Support"[Mesh] OR "Family Support"[Mesh] OR support[tiab] OR program[tiab] OR "Counseling"[Mesh] OR counseling[tiab])) AND (((review[ti] OR meta-review[ti] OR meta-analysis[ti]) NOT comment[pt] NOT (protocol[ti] OR protocols[ti])) NOT MEDLINE[subset]) OR (Cochrane Database Syst Rev[ta] AND review[pt]) OR systematic review[pt])
```

Embase (Elsevier)

```
((bereavement/exp OR bereavement:ti,ab OR grief/exp OR grief:ti,ab) AND (care:ti,ab OR 'community support'/exp OR 'social support'/exp OR 'family support'/exp OR support:ti,ab OR program:ti,ab OR 'counseling'/exp OR counseling:ti,ab)) AND (review:ti OR meta-review:ti OR meta-analysis:ti OR ('Cochrane Database of Systematic Reviews'/jt AND review/it)) NOT (protocol:ti OR protocols:ti OR comment/it)
```

PsycINFO (EBSCO)

```
((DE("Bereavement" OR "Grief") OR TI(bereavement OR grief) OR AB(bereavement OR grief)) AND (DE("Social Support" OR "Counseling") OR TI(care OR support OR program OR counseling) OR AB(care OR support OR program OR counseling))) AND ((TI(review OR meta-review OR meta-analysis) OR (JN("Cochrane Database of Systematic Reviews") AND PT(review))) NOT (TI(protocol OR protocols) OR PT(comment)))
```

Cochrane CENTRAL (Ovid)

```
((Bereavement.sh. OR bereavement.ti,ab. OR Grief.sh. OR grief.ti,ab.) AND (care.ti,ab. OR "Community Support".sh. OR "Social Support".sh. OR support.ti,ab. OR program.ti,ab. OR Counseling.sh. OR counseling.ti,ab.)) AND (review.ti. OR meta-review.ti. OR meta-analysis.ti. OR ("Cochrane Database of Systematic Reviews".jn. AND review.pt.)) NOT (comment.pt. OR protocol.ti. OR protocols.ti.)
```

Updated searches from Dias, N., Hendricks-Ferguson, V. L., Wei, H., Boring, E., Sewell, K., & Haase, J. E. (2019). A systematic literature review of the current state of knowledge related to interventions for bereaved parents. *The American Journal of Hospice & Palliative Care*, 36(12), 1124-1133.

<https://doi.org/10.1177/1049909119858931>

MEDLINE (PubMed)

("Child"[Mesh] OR "Adolescent"[Mesh] OR child[tiab] OR children[tiab] OR adolescent[tiab] OR adolescents[tiab] OR offspring[tiab] OR son[tiab] OR sons[tiab] OR daughter[tiab] OR daughters[tiab]) AND ("Grief"[Mesh] OR "Bereavement"[Mesh:noexp] OR grief[tiab] OR grieving[tiab] OR bereavement[tiab] OR mourning[tiab]) AND ("Parents"[Mesh:noexp] OR "Fathers"[Mesh] OR "Mothers"[Mesh] OR parent[tiab] OR parents[tiab] OR parental[tiab] OR father[tiab] OR fathers[tiab] OR mother[tiab] OR mothers[tiab] OR paternal[tiab] OR maternal[tiab]) AND ((intervention OR support OR therapy OR counseling OR care OR program OR service) AND (controlled OR trial OR design OR qualitative))

Embase (Elsevier)

(child/exp OR adolescent/exp OR child:ti,ab OR children:ti,ab OR adolescent:ti,ab OR adolescents:ti,ab OR offspring:ti,ab OR son:ti,ab OR sons:ti,ab OR daughter:ti,ab OR daughters:ti,ab) AND (grief/exp OR bereavement/mj OR grief:ti,ab OR grieving:ti,ab OR bereavement:ti,ab OR mourning:ti,ab) AND (parent/exp OR father/exp OR mother/exp OR parent:ti,ab OR parents:ti,ab OR parental:ti,ab OR father:ti,ab OR fathers:ti,ab OR mother:ti,ab OR mothers:ti,ab OR paternal:ti,ab OR maternal:ti,ab) AND ((intervention OR support OR therapy OR counseling OR care OR program OR service) AND (controlled OR trial OR design OR qualitative))

PsycINFO (EBSCO)

(TI(child OR children OR adolescent OR adolescents OR offspring OR son OR sons OR daughter OR daughters) OR AB(child OR children OR adolescent OR adolescents OR offspring OR son OR sons OR daughter OR daughters)) AND (DE("Grief" OR "Bereavement") OR TI(grief OR grieving OR bereavement OR mourning) OR AB(grief OR grieving OR bereavement OR mourning)) AND (DE("Parents" OR "Fathers" OR "Mothers") OR TI(parent OR parents OR parental OR father OR fathers OR mother OR mothers OR paternal OR maternal) OR AB(parent OR parents OR parental OR father OR fathers OR mother OR mothers OR paternal OR maternal)) AND ((intervention OR support OR therapy OR counseling OR care OR program OR service) AND (controlled OR trial OR design OR qualitative))

Cochrane CENTRAL (Ovid)

(child.sh. OR adolescent.sh. OR child.ti,ab. OR children.ti,ab. OR adolescent.ti,ab. OR adolescents.ti,ab. OR offspring.ti,ab. OR son.ti,ab. OR sons.ti,ab. OR daughter.ti,ab. OR daughters.ti,ab.) AND (grief.sh. OR bereavement.sh. OR grief.ti,ab. OR grieving.ti,ab. OR bereavement.ti,ab. OR mourning.ti,ab.) AND (parents.sh. OR fathers.sh. OR mothers.sh. OR parent.ti,ab. OR parents.ti,ab. OR parental.ti,ab. OR father.ti,ab. OR fathers.ti,ab. OR mother.ti,ab. OR mothers.ti,ab. OR paternal.ti,ab. OR maternal.ti,ab.) AND ((intervention OR

A. Haberstroh
N. Dias

A. Floyd
R. Ramkumar

support OR therapy OR counseling OR care OR program OR service) AND (controlled OR trial OR design OR qualitative))

CINAHL (EBSCO)

(MH("Child" OR "Adolescence") OR TI(child OR children OR adolescent OR adolescents OR offspring OR son OR sons OR daughter OR daughters) OR AB(child OR children OR adolescent OR adolescents OR offspring OR son OR sons OR daughter OR daughters)) AND (MH("Grief" OR "Bereavement") OR TI(grief OR grieving OR bereavement OR mourning) OR AB(grief OR grieving OR bereavement OR mourning)) AND (MH("Parents" OR "Fathers" OR "Mothers") OR TI(parent OR parents OR parental OR father OR fathers OR mother OR mothers OR paternal OR maternal) OR AB(parent OR parents OR parental OR father OR fathers OR mother OR mothers OR paternal OR maternal)) AND ((intervention OR support OR therapy OR counseling OR care OR program OR service) AND (controlled OR trial OR design OR qualitative))