

ICMR CONTRIBUTION SERIES, NO. ICMR-92-07

**FOOD and FEEDING of YOUNG STRIPED BASS
in ROANOKE RIVER and WESTERN ALBEMARLE
SOUND, NORTH CAROLINA, 1984-1991**

VOLUME II - APPENDICES

Completion Report for Project F-27, Striped Bass Investigations
to North Carolina Wildlife Resources Commission



**R.A. RULIFSON, J.E. COOPER, D.W. STANLEY,
M.E. SHEPHERD, S.F. WOOD, AND D.D. DANIEL**

INSTITUTE FOR COASTAL AND MARINE RESOURCES
EAST CAROLINA UNIVERSITY
GREENVILLE, NORTH CAROLINA 27858-4353

July 1992

**Food and Feeding of Young Striped Bass in Roanoke
River and Western Albemarle Sound,
North Carolina, 1984-1991
Volume II - Appendices**

Completion Report for Project F-27
Striped Bass Investigations

For

North Carolina Wildlife Resources Commission
*Archdale Building, 512 N, Salisbury Street
Raleigh, NC 27611*

By

Roger A. Rulifson^{1,2}, John E. Cooper¹, Donald W. Stanley^{1,2},
Marsha E. Shepherd³, Scott F. Wood¹, and Deborah A. Daniel¹

¹*Institute for Coastal and Marine Resources*

²*Department of Biology*

³*Academic Computing*

*East Carolina University
Greenville, NC 27858-4353*

(ICMR Contribution Series, No. ICMR-92-07)
July 1992

This project was funded, in part, by the U.S. Department of the Interior,
Fish and Wildlife Service, under the Wallop-Breaux Extension Bill

Appendices - Volume II

A. Water Quality and Environmental Conditions

A1.	North Carolina standards and EPA criteria for selected water quality parameters for protection of fresh water aquatic life.....	A-1
A2.	Laboratory-tested water quality parameters detection limits (mg/L unless specified, except metals, µg/L).....	A-2
A3.	Annual flowmeter calibration factors for zooplankton and ichthyoplankton samples collected in the lower Roanoke River, Batchelor Bay, and western Albemarle Sound, 1984-1991	A-3
A4.	Depth (m) of the water column at each station, by date, in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32).....	A-4
A5.	Water temperature (°C) at each station, by date, in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32)	A-12
A6.	Dissolved oxygen (mg/L) at each station, by date, in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32)	A-27
A7.	Dissolved oxygen saturation (%) of the water at each station, by date, in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32).....	A-42
A8.	Surface water pH at each station, by date, in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32)	A-58
A9.	Salinity (ppt) at each station, by date, in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32)	A-65
A10.	Conductivity (µmhos) at each station, by date, in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32)	A-79

A11.	Cloud cover (%) at each station, by date, in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32)	A-92
A12.	Wind direction at each station, by date, in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32)	A-100
A13.	Wind velocity (mph), estimated with a hand-held wind meter, for stations in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32)	A-108
B. Watershed Volumetric Estimation		
B1.	Roanoke River system transects used for volume estimates	B-1
B2.	Calculation of Roanoke River volumes by river system	B-2
B3.	Albemarle Sound transects used for volume estimates	B-3
B4.	Calculation of cross-sectional areas of Albemarle Sound	B-4
B5.	Calculation of Albemarle Sound volume by transects	B-7
C. Primary Production (Phytoplankton and Chlorophyll <i>a</i>)		
C1.	Phytoplankton density (cells/L) in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	C-1
C2.	Phytoplankton biomass (mg/L) in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	C-7
C3.	Phytoplankton density (cells/L), by taxon (class), in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	C-13

C4.	Phytoplankton biomass (mg/L), by taxon (class), in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	C-64
C5.	Sampling efforts for chlorophyll <i>a</i> in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	C-115
C6.	Chlorophyll <i>a</i> concentration (µg/L) in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	C-120

D. Zooplankton Density and Biomass

D1.	Sampling efforts for zooplankton in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	D-1
D2.	Density (number/m ³) of zooplankton taxonomic groups, by date, in the lower Roanoke River (Stations 1-12) for the period 1984-1991	D-6
D3.	Density (number/m ³) of zooplankton taxonomic groups, by date, in Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	D-153
D4.	Average density (number/m ³), by year, of zooplankton taxonomic groups in the lower Roanoke River (Stations 1-12) for the period 1984-1991	D-312
D5.	Relative abundance (% of total), by year, of zooplankton taxonomic groups in the lower Roanoke River (Stations 1-12) for the period 1984-1991	D-326
D6.	Average density (number/m ³), by year, of zooplankton taxonomic groups in Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	D-341
D7.	Relative abundance (% of total), by year, of zooplankton taxonomic groups in Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	D-353

D8.	Average biomass (g/m ³), by year, of common zooplankton taxonomic groups in the lower Roanoke River (Stations 1-12) for the period 1984-1991	D-365
D9.	Relative biomass (% of total), by year, of common zooplankton taxonomic groups in the lower Roanoke River (Stations 1-12) for the period 1984-1991	D-378
D10.	Average biomass (g/m ³), by year, of common zooplankton taxonomic groups in Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	D-390
D11.	Relative biomass (% of total), by year, of common zooplankton taxonomic groups in Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	D-402
 E. <i>Morone</i> Ichthyoplankton Density by Species, Date, and Station		
E1.	Density of striped bass eggs (number/100m ³), by date, in the lower Roanoke River (Stations 1-12) for the period 1984-1991	E-1
E2.	Density of striped bass eggs (number/100m ³), by date, in Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991.....	E-6
E3.	Density of striped bass larvae (number/100m ³), by date, in the lower Roanoke River (Stations 1-12) for the period 1984-1991	E-11
E4.	Density of striped bass larvae (number/100m ³), by date, in Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991.....	E-16
E5.	Density of white perch (<i>Morone americanus</i>) eggs (number/100m ³), by date, in the lower Roanoke River (Stations 1-12) for the period 1984-1991	E-21
E6.	Density of white perch (<i>Morone americanus</i>) eggs (number/100m ³), by date, in Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	E-26

E7.	Density of white perch (<i>Morone americanus</i>) larvae (number/100m ³), by date, in the lower Roanoke River (Stations 1-12) for the period 1984-1991	E-31
E8.	Density of white perch (<i>Morone americanus</i>) larvae (number/100m ³), by date, in Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	E-36
E9.	Density of undifferentiated <i>Morone</i> larvae (number/100m ³), by date, in the lower Roanoke River (Stations 1-12) for the period 1984-1991	E-41
E10.	Density of undifferentiated <i>Morone</i> larvae (number/100m ³), by date, in Batchelor Bay (Stations 13-16) and western Albemarle Sound (Stations 17-32) for the period 1984-1991	E-46

F. Length Frequency Distribution of *Morone* species

F1.	Length frequency distribution (% of total measured), by station, of young striped bass collected in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32) for the period 1984-1991	F-1
F2.	Length frequency distribution (% of total measured), by station, of young white perch collected in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32) for the period 1984-1991	F-58
F3.	Length frequency distribution (% of total measured), by station, of undifferentiated <i>Morone</i> collected in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32) for the period 1984-1991	F-111

G. *Morone* Larvae Food Habit Summary by Date and Station

- G1. Prey ingested by striped bass larvae in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32) for the period 1984-1991 G-1
- G2. Prey ingested by white perch (*Morone americanus*) larvae in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32) for the period 1984-1991 G-20
- G3. Prey ingested by undifferentiated *Morone* larvae in the lower Roanoke River (Stations 1-12), Batchelor Bay (Stations 13-16), and western Albemarle Sound (Stations 17-32) for the period 1984-1991 G-24