

Diversity and Inclusion in Perinatal Mental Health in Native American Populations: A Scoping Review

Complete search strategies

CINAHL (EBSCO)

(MH(("Childbirth" OR "Maternal-Child Health" OR "Multiple Birth Offspring" OR "Multiparas" OR "Nulliparas" OR "Primiparas" OR "Prenatal Care" OR "Pregnancy" OR "Expectant Mothers") **AND** (("Cultural Diversity" OR "Gender Identity" OR "Sexual Identity" OR "Sexual and Gender Minorities" OR "Sexual Orientation" OR "Social Identity") **AND** ("Academic Achievement" OR "Age Factors" OR "Cultural Competence" OR "Demography" OR "Discrimination" OR "Employment" OR "Gender Role" OR "Health Screening" OR "Housing" OR "Income" OR "Indigent Persons" OR "Literacy" OR "Poverty" OR "Sex Factors" OR "Social Class" OR "Socioeconomic Factors" OR "Social Status" OR "Stigma" OR "Unemployment")) **AND** ("Gender Equality" OR "Human Rights" OR "Racial Equality")) **AND** ("Affect" OR "Affective Disorders" OR "Affective Disorders, Psychotic" OR "Anxiety" OR "Anxiety Disorders" OR "Binge Eating Disorder" OR "Bipolar Disorder" OR "Bulimia" OR "Compulsive Behavior" OR "Compulsive Personality Disorder" OR "Depression" OR "Depression, Postpartum" OR "Dyssomnias" OR "Eating Disorders" OR "Emotions" OR "Fear" OR "Mental Health" OR "Mental Disorders" OR "Obsessive-Compulsive Disorder" OR "Panic Disorder" OR "Phobic Disorders" OR "Psychological Distress" OR "Psychological Trauma" OR "Psychological Well-Being" OR "Psychosocial Aspects of Illness" OR "Psychotic Disorders" OR "Schizophrenia" OR "Sleep" OR "Stress Disorders, Post-Traumatic" OR "Suicide" OR "Suicidal Ideation")) **OR** TI((antenatal OR ante-natal OR antepartum OR antepartum OR childbirth OR gravid* OR intrapartum OR intra-partum OR intranatal OR intra-natal OR parity OR perinatal OR peri-natal OR peripartum OR peri-partum OR pre-natal OR prenatal OR pre-partum OR prepartum OR pregnan* OR primigravid* OR primipar* OR postnatal OR post-natal OR postpartum OR post-partum OR puerperal OR puerperium OR maternal OR multigrav* OR multipar* OR nulligravid* OR nullipar* OR trimester*) **AND** ((diversity OR ethnic* OR gender OR identity minorit* OR race OR racial OR sexual*)) **AND** (advers* OR age-factor* OR barriers OR demograph* OR determinant* OR disadvantage* OR discrimination OR dominant OR (education* **AND** (attain* OR level* OR status)) OR employment OR gatekeeping OR geograph* OR historical-trauma OR housing OR illiter* OR income OR injustice OR justice OR literacy OR literate OR location OR marginali* OR maternal-morbidity OR maternal-mortality OR poverty OR screen* OR social-class* OR socioeconomic* OR social-status OR stigma OR unemploy* OR underserved OR vulnerable) **AND** (dispari* OR equal* OR equit* OR health-disparities OR inequit* OR risk OR unequal*)) **AND** (affect* OR agoraphobi* OR anorexi* OR anxiety OR baby-blues OR binge OR bipolar OR bulimi* OR delusion* OR depression OR depressive OR distress OR dysphoria OR dysthymia OR eating-disorder OR emotion* OR fear OR insomnia OR mania OR mental-disorder OR mental-health OR mood OR obsessive-compulsive OR panic OR perinatal-mental-disorders OR perinatal-depression OR phobia OR postpartum-depression OR post-traumatic-stress-disorder OR posttraumatic-stress-disorder OR psychological-disorder OR psychopathology OR psychosis OR psychosocial OR PTSD OR schizoaffective OR schizophreni* OR sleep OR stress OR suici* OR trauma OR treatment-outcomes OR undertreatment OR unipolar OR well-being)) **OR** AB((antenatal OR ante-natal OR antepartum OR ante-partum OR

childbirth OR gravid* OR intrapartum OR intra-partum OR intranatal OR intra-natal OR parity OR perinatal OR peri-natal OR peripartum OR peri-partum OR pre-natal OR prenatal OR pre-partum OR prepartum OR pregnan* OR primigravid* OR primipar* OR postnatal OR post-natal OR postpartum OR post-partum OR puerperal OR puerperium OR maternal OR multigrav* OR multipar* OR nulligravid* OR nullipar* OR trimester*) **AND** ((diversity OR ethnic* OR gender OR identity minorit* OR race OR racial OR sexual*)) AND (advers* OR age-factor* OR barriers OR demograph* OR determinant* OR disadvantage* OR discrimination OR dominant OR (education* AND (attain* OR level* OR status)) OR employment OR gatekeeping OR geograph* OR historical-trauma OR housing OR illitera* OR income OR injustice OR justice OR literacy OR literate OR location OR marginali* OR maternal-morbidity OR maternal-mortality OR poverty OR screen* OR social-class* OR socioeconomic* OR social-status OR stigma OR unemploy* OR underserved OR vulnerable) AND (dispari* OR equal* OR equit* OR health-disparities OR inequit* OR risk OR unequal*)) **AND** (affect* OR agoraphobi* OR anorexi* OR anxiety OR baby-blues OR binge OR bipolar OR bulimi* OR delusion* OR depression OR depressive OR distress OR dysphoria OR dysthymia OR eating-disorder OR emotion* OR fear OR insomnia OR mania OR mental-disorder OR mental-health OR mood OR obsessive-compulsive OR panic OR perinatal-mental-disorders OR perinatal-depression OR phobia OR postpartum-depression OR post-traumatic-stress-disorder OR posttraumatic-stress-disorder OR psychological-disorder OR psychopathology OR psychosis OR psychosocial OR PTSD OR schizoaffective OR schizophreni* OR sleep OR stress OR suici* OR trauma OR treatment-outcomes OR undertreatment OR unipolar OR well-being))) **AND** (DE("Native Americans" OR "Native Peoples") OR TI(Alaska-Native OR American-Indian OR First-American* OR First-People OR First-Nations OR indigenous OR Native-Alaskan OR Native-American OR Native-Hawaiian) OR AB(Alaska-Native OR American-Indian OR Native-American OR Native-Hawaiian))

Cochrane Central (Ovid)

((parity.sh. OR parturition.sh. OR "prenatal care".sh. OR pregnancy.sh. OR "pregnant women".sh. OR "postnatal care".sh. OR "postpartum period".sh. OR "maternal welfare".sh. OR "pregnancy trimester, first".sh. OR "pregnancy trimester, second".sh. OR "pregnancy trimester, third".sh. OR antenatal.ti,ab. OR ante-natal.ti,ab. OR antepartum.ti,ab. OR ante-partum.ti,ab. OR childbirth.ti,ab. OR gravid*.ti,ab. OR intrapartum.ti,ab. OR intra-partum.ti,ab. OR intranatal.ti,ab. OR intra-natal.ti,ab. OR parity.ti,ab. OR perinatal.ti,ab. OR peri-natal.ti,ab. OR peripartum.ti,ab. OR peri-partum.ti,ab. OR pre-natal.ti,ab. OR prenatal.ti,ab. OR pre-partum.ti,ab. OR prepartum.ti,ab. OR pregnan*.ti,ab. OR primigravid*.ti,ab. OR primipar*.ti,ab. OR postnatal.ti,ab. OR post-natal.ti,ab. OR postpartum.ti,ab. OR post-partum.ti,ab. OR puerperal.ti,ab. OR puerperium.ti,ab. OR maternal.ti,ab. OR multigrav*.ti,ab. OR multipar*.ti,ab. OR nulligravid*.ti,ab. OR nullipar*.ti,ab. OR trimester*.ti,ab.) **AND** (((("cultural diversity".sh. OR "gender identity".sh. OR sexuality.sh. OR diversity.ti,ab. OR ethnic*.ti,ab. OR gender.ti,ab. OR identity.ti,ab. OR minorit*.ti,ab. OR race.ti,ab. OR racial.ti,ab. OR sexual*.ti,ab.)) AND ("age factors".sh. OR demography.sh. OR "discrimination (psychology)".sh. OR "educational status".sh. OR employment.sh. OR geography.sh. OR housing.sh. OR "maternal mortality".sh. OR "medically underserved area".sh. OR poverty.sh. OR "poverty areas".sh. OR "social class".sh. OR "social determinants of health".sh. OR "social discrimination".sh. OR "social justice".sh. OR "social marginalization".sh. OR "social perception".sh. OR "social stigma".sh. OR "social support".sh. OR

unemployment.sh. OR "vulnerable populations".sh. OR advers*.ti,ab. OR age-factor*.ti,ab. OR barriers.ti,ab. OR demograph*.ti,ab. OR determinant*.ti,ab. OR disadvantage*.ti,ab. OR discrimination.ti,ab. OR dominant.ti,ab. OR (education*.ti,ab. AND (attain*.ti,ab. OR level*.ti,ab. OR status.ti,ab.)) OR employment.ti,ab. OR gatekeeping.ti,ab. OR geograph*.ti,ab. OR historical-trauma.ti,ab. OR housing.ti,ab. OR injustice.ti,ab. OR justice.ti,ab. OR illitera*.ti,ab. OR income.ti,ab. OR literacy.ti,ab. OR literate.ti,ab. OR location.ti,ab. OR marginali*.ti,ab. OR maternal-morbidity.ti,ab. OR maternal-mortality.ti,ab. OR poverty.ti,ab. OR screen*.ti,ab. OR social-class*.ti,ab. OR socioeconomic*.ti,ab. OR social-status.ti,ab. OR stigma.ti,ab. OR unemploy*.ti,ab. OR underserved.ti,ab. OR vulnerable.ti,ab.) AND ("health status disparities".sh. OR "healthcare disparities".sh. OR risk.sh. OR "risk factors".sh. OR dispari*.ti,ab. OR equal*.ti,ab. OR equit*.ti,ab. OR health-disparities.ti,ab. OR inequit*.ti,ab. OR risk.ti,ab. OR unequal*.ti,ab.)) **AND** (affect.sh. OR "affective disorders, psychotic".sh. OR "affective symptoms".sh. OR agoraphobia.sh. OR anorexia.sh. OR "anorexia nervosa".sh. OR anxiety.sh. OR "anxiety disorders".sh. OR "binge-eating disorder".sh. OR "bipolar disorder".sh. OR bulimia.sh. OR "bulimia nervosa".sh. OR delusions.sh. OR depression.sh. OR "depression, postpartum".sh. OR "depressive disorder, major".sh. OR "dysthymic disorder".sh. OR "eating disorders".sh. OR emotions.sh. OR fear.sh. OR "mental disorders".sh. OR "mental health".sh. OR "obsessive-compulsive disorder".sh. OR panic.sh. OR "panic disorder".sh. OR "phobic disorders".sh. OR psychopathology.sh. OR "psychosocial deprivation".sh. OR "psychotic disorders".sh. OR schizophrenia.sh. OR sleep.sh. OR "sleep disorders".sh. OR "sleep initiation and maintenance disorders".sh. OR "stress disorders, post-traumatic".sh. OR "stress disorders, traumatic".sh. OR "stress, psychological".sh. OR "suicidal ideation".sh. OR suicide.sh. OR "suicide, attempted".sh. OR "treatment outcome".sh. OR affect*.ti,ab. OR agoraphobi*.ti,ab. OR anorexi*.ti,ab. OR anxiety.ti,ab. OR baby-blues.ti,ab. OR binge.ti,ab. OR bipolar.ti,ab. OR bulimi*.ti,ab. OR delusion*.ti,ab. OR depression.ti,ab. OR depressive.ti,ab. OR distress.ti,ab. OR dysphoria.ti,ab. OR dysthymia.ti,ab. OR eating-disorder.ti,ab. OR emotion*.ti,ab. OR fear.ti,ab. OR insomnia.ti,ab. OR mania.ti,ab. OR mental-disorder.ti,ab. OR mental-health.ti,ab. OR mood.ti,ab. OR obsessive-compulsive.ti,ab. OR panic.ti,ab. OR perinatal-mental-disorders.ti,ab. OR perinatal-depression.ti,ab. OR phobia.ti,ab. OR postpartum-depression.ti,ab. OR post-traumatic-stress-disorder.ti,ab. OR posttraumatic-stress-disorder.ti,ab. OR psychological-disorder.ti,ab. OR psychopathology.ti,ab. OR psychosis.ti,ab. OR psychosocial.ti,ab. OR PTSD.ti,ab. OR schizoaffective.ti,ab. OR schizophreni*.ti,ab. OR sleep.ti,ab. OR stress.ti,ab. OR suici*.ti,ab. OR trauma.ti,ab. OR treatment-outcomes.ti,ab. OR undertreatment.ti,ab. OR unipolar.ti,ab. OR well-being.ti,ab.)) **AND** ("American Native Continental Ancestry Group".sh. OR "Indians, North American".sh. OR Alaska-Native.ti,ab. OR American-Indian.ti,ab. OR First-American*.ti,ab. OR First-People.ti,ab. OR First-Nations.ti,ab. OR indigenous.ti,ab. OR Native-Alaskan.ti,ab. OR Native-American.ti,ab. OR Native-Hawaiian.ti,ab.)

Embase

((('childbirth'/de OR 'first trimester pregnancy'/de OR 'second trimester pregnancy'/de OR 'third trimester pregnancy'/de OR 'intrapartum care'/de OR 'parity'/de OR 'perinatal care'/de OR 'perinatal period'/de OR 'pregnancy'/de OR 'prenatal'/de OR 'prenatal care'/de OR 'primigravida'/de OR 'primipara'/de OR 'postnatal care'/de OR 'postpartum'/de OR 'puerperium'/de OR 'maternal'/de OR 'multigravida'/de OR 'multipara'/de OR 'nulligravida'/de

OR 'nullipara'/de OR antenatal:ti,ab OR ante-natal:ti,ab OR antepartum:ti,ab OR antepartum:ti,ab OR childbirth:ti,ab OR gravid*:ti,ab OR intrapartum:ti,ab OR intra-partum:ti,ab OR intranatal:ti,ab OR intra-natal:ti,ab OR parity:ti,ab OR perinatal:ti,ab OR peri-natal:ti,ab OR peripartum:ti,ab OR peri-partum:ti,ab OR pre-natal:ti,ab OR prenatal:ti,ab OR pre-partum:ti,ab OR prepartum:ti,ab OR pregnan*:ti,ab OR primigravid*:ti,ab OR primipar*:ti,ab OR postnatal:ti,ab OR post-natal:ti,ab OR postpartum:ti,ab OR post-partum:ti,ab OR puerperal:ti,ab OR puerperium:ti,ab OR maternal:ti,ab OR multigrav*:ti,ab OR multipar*:ti,ab OR nulligravid*:ti,ab OR nullipar*:ti,ab OR trimester*:ti,ab) **AND** (((('diversity'/de OR 'gender'/de OR 'gender identity'/de OR 'identity'/de OR 'sexual and gender minority'/de OR 'sexual orientation'/de) AND ('adversity'/de OR 'age'/de OR 'barriers'/de OR 'demography'/de OR 'determinant'/de OR 'discrimination'/de OR 'educational status'/de OR 'employment'/de OR 'geography'/de OR 'housing'/de OR 'illiterate'/de OR 'income'/de OR 'literacy'/de OR 'location'/de OR 'maternal morbidity'/de OR 'maternal mortality'/de OR 'medically underserved'/de OR 'poverty'/de OR 'screening'/de OR 'social class'/de OR 'social status'/de OR 'social stigma'/de OR 'socioeconomics'/de OR 'unemployment'/de OR 'vulnerable population'/de) AND ('disparities'/de OR 'equity'/de OR 'health disparity'/de OR 'health care disparity'/de OR 'risk'/de)) OR ((diversity:ti,ab OR ethnic*:ti,ab OR gender:ti,ab OR identity:ti,ab OR minorit*:ti,ab OR race:ti,ab OR racial:ti,ab OR sexual*:ti,ab) AND (advers*:ti,ab OR age-factor*:ti,ab OR barriers:ti,ab OR demograph*:ti,ab OR determinant*:ti,ab OR disadvantage*:ti,ab OR discrimination:ti,ab OR dominant:ti,ab OR (education*:ti,ab AND (attain*:ti,ab OR level*:ti,ab OR status:ti,ab)) OR employment:ti,ab OR gatekeeping:ti,ab OR geograph*:ti,ab OR historical-trauma:ti,ab OR housing:ti,ab OR illitera*:ti,ab OR income:ti,ab OR injustice:ti,ab OR justice:ti,ab OR literacy:ti,ab OR literate:ti,ab OR location:ti,ab OR marginali*:ti,ab OR maternal-morbidity:ti,ab OR maternal-mortality:ti,ab OR poverty:ti,ab OR screen*:ti,ab OR social-class*:ti,ab OR socioeconomic*:ti,ab OR social-status:ti,ab OR stigma:ti,ab OR unemploy*:ti,ab OR underserved:ti,ab OR vulnerable:ti,ab) AND (dispari*:ti,ab OR equal*:ti,ab OR equit*:ti,ab OR health-disparities:ti,ab OR inequit*:ti,ab OR risk:ti,ab OR unequal*:ti,ab))) **AND** ('affect'/de OR 'agoraphobia'/de OR 'anorexia'/de OR 'anorexia nervosa'/de OR 'antenatal depression'/de OR 'anxiety'/de OR 'binge eating disorder'/de OR 'bipolar disorder'/de OR 'major depression'/de OR 'mental disease'/de OR 'mental stress'/de OR 'mood disorder'/de OR 'obsessive compulsive disorder'/de OR 'outcomes'/de OR 'panic'/de OR 'perinatal depression'/de OR 'phobia'/de OR 'postnatal depression'/de OR 'posttraumatic stress disorder'/de OR 'psychosis'/de OR 'psychosocial'/de OR 'psychotrauma'/de OR 'schizoaffective psychosis'/de OR 'schizophrenia'/de OR 'sleep'/de OR 'suicidal ideation'/de OR 'suicide'/de OR 'suicide attempt'/de OR 'undertreatment'/de OR 'wellbeing'/de OR affect*:ti,ab OR agoraphobi*:ti,ab OR anorexi*:ti,ab OR anxiety:ti,ab OR baby-blues:ti,ab OR binge:ti,ab OR bipolar:ti,ab OR bulimi*:ti,ab OR delusion*:ti,ab OR depression:ti,ab OR depressive:ti,ab OR distress:ti,ab OR dysphoria:ti,ab OR dysthymia:ti,ab OR eating-disorder:ti,ab OR emotion*:ti,ab OR fear:ti,ab OR insomnia:ti,ab OR mania:ti,ab OR mental-disorder:ti,ab OR mental-health:ti,ab OR mood:ti,ab OR obsessive-compulsive:ti,ab OR panic:ti,ab OR perinatal-mental-disorders:ti,ab OR perinatal-depression:ti,ab OR phobia:ti,ab OR postpartum-depression:ti,ab OR post-traumatic-stress-disorder:ti,ab OR posttraumatic-stress-disorder:ti,ab OR psychological-disorder:ti,ab OR psychopathology:ti,ab OR psychosis:ti,ab OR psychosocial:ti,ab OR PTSD:ti,ab OR schizoaffective:ti,ab OR schizophreni*:ti,ab OR sleep:ti,ab OR stress:ti,ab OR suici*:ti,ab OR

trauma:ti,ab OR treatment-outcomes:ti,ab OR undertreatment:ti,ab OR unipolar:ti,ab OR well-being:ti,ab)) **AND** ('American Indian'/de OR 'Alaska Native'/de OR Alaska-Native:ti,ab OR American-Indian:ti,ab OR First-American*:ti,ab OR First-People:ti,ab OR First-Nations:ti,ab OR indigenous:ti,ab OR Native-Alaskan:ti,ab OR Native-American:ti,ab OR Native-Hawaiian:ti,ab)

MEDLINE (PubMed)

((("Gravidity"[Mesh] OR "Parity"[Mesh] OR "Parturition"[Mesh] OR "Perinatal Care"[Mesh] OR "Pregnancy"[Mesh] OR "Pregnancy Trimesters"[Mesh] OR "Prenatal Care"[Mesh] OR "Postpartum Period"[Mesh] OR "Postnatal Care"[Mesh] OR antenatal[tiab] OR ante-natal[tiab] OR antepartum[tiab] OR ante-partum[tiab] OR childbirth[tiab] OR gravid*[tiab] OR intrapartum[tiab] OR intra-partum[tiab] OR intranatal[tiab] OR intra-natal[tiab] OR parity[tiab] OR perinatal[tiab] OR peri-natal[tiab] OR peripartum[tiab] OR peri-partum[tiab] OR pre-natal[tiab] OR prenatal[tiab] OR pre-partum[tiab] OR prepartum[tiab] OR pregnan*[tiab] OR primigravid*[tiab] OR primipar*[tiab] OR postnatal[tiab] OR post-natal[tiab] OR postpartum[tiab] OR post-partum[tiab] OR puerperal[tiab] OR puerperium[tiab] OR maternal[tiab] OR multigrav*[tiab] OR multipar*[tiab] OR nulligravid*[tiab] OR nullipar*[tiab] OR trimester*[tiab]) **AND** (((("Cultural Diversity"[Mesh] OR "Ethnic Groups"[Mesh:NoExp] OR "Gender Identity"[Mesh] OR "Race Factors"[Mesh] OR "Minority Groups"[Mesh] OR "Sexual and Gender Minorities"[Mesh] OR "Sexuality"[Mesh]) **AND** ("Age Factors"[Mesh] OR "Demography"[Mesh] OR "Diagnosis"[Mesh] OR "Educational Status"[Mesh] OR "Employment"[Mesh] OR "Geography"[Mesh] OR "Health Services for Transgender Persons"[Mesh] OR "Housing"[Mesh] OR "Income"[Mesh] OR "Literacy"[Mesh] OR "Maternal Death"[Mesh] OR "Maternal Health"[Mesh] OR "Maternal Mortality" OR "Medically Underserved Area"[Mesh] OR "Poverty"[Mesh] OR "Poverty Areas"[Mesh] OR "Social Class"[Mesh] OR "Social Determinants of Health"[Mesh] OR "Social Discrimination"[Mesh] OR "Social Stigma"[Mesh] OR "Socioeconomic Factors"[Mesh] OR "Unemployment"[Mesh] OR "Vulnerable Populations"[Mesh]) **AND** ("Health Equity"[Mesh] OR "Health Status Disparities"[Mesh] OR "Social Justice"[Mesh]))) OR ((diversity[tiab] OR ethnic*[tiab] OR gender[tiab] OR identity[tiab] OR minorit*[tiab] OR race[tiab] OR racial[tiab] OR sexual*[tiab]) **AND** (advers*[tiab] OR age-factor*[tiab] OR barriers[tiab] OR demograph*[tiab] OR determinant*[tiab] OR disadvantage*[tiab] OR discrimination[tiab] OR dominant[tiab] OR (education*[tiab] **AND** (attain*[tiab] OR level*[tiab] OR status[tiab]))) OR employment[tiab] OR gatekeeping[tiab] OR geograph*[tiab] OR historical-trauma[tiab] OR housing[tiab] OR illitera*[tiab] OR income[tiab] OR injustice[tiab] OR justice[tiab] OR literacy[tiab] OR literate[tiab] OR location[tiab] OR make-up[tiab] OR marginali*[tiab] OR maternal-morbidity[tiab] OR maternal-mortality[tiab] OR poverty[tiab] OR screen*[tiab] OR social-class*[tiab] OR socioeconomic*[tiab] OR social-status[tiab] OR stigma[tiab] OR unemploy*[tiab] OR underserved[tiab] OR vulnerable[tiab]) **AND** (dispari*[tiab] OR equal*[tiab] OR equit*[tiab] OR health-disparities[tiab] OR inequit*[tiab] OR risk[tiab] OR unequal*[tiab]))) **AND** ("Affect"[Mesh] OR "Affective Symptoms"[Mesh] OR "Agoraphobia"[Mesh] OR "Anorexia"[Mesh] OR "Anorexia Nervosa"[Mesh] OR "Anxiety"[Mesh] OR "Binge-Eating Disorder"[Mesh] OR "Bipolar Disorder"[Mesh] OR "Bipolar and Related Disorders"[Mesh] OR "Bulimia"[Mesh] OR "Bulimia Nervosa"[Mesh] OR "Delusions"[Mesh] OR "Depression"[Mesh] OR "Depression, Postpartum"[Mesh] OR "Dysthymic Disorder"[Mesh] OR "Emotions"[Mesh] OR

"Fear"[Mesh] OR "Feeding and Eating Disorders"[Mesh] OR "Health"[Mesh] OR "Historical Trauma"[Mesh] OR "Irritable Mood"[Mesh] OR "Mania"[Mesh] OR "Mental Disorders"[Mesh] OR "Mental Health"[Mesh] OR "Mood Disorders"[Mesh] OR "Obsessive-Compulsive Disorder"[Mesh] OR "Panic"[Mesh] OR "Panic Disorder"[Mesh] OR "Phobic Disorders"[Mesh] OR "Psychological Distress"[Mesh] OR "Psychological Trauma"[Mesh] OR "Psychopathology"[Mesh] OR "Psychotic Disorders"[Mesh] OR "Psychosocial Deprivation"[Mesh] OR "Psychosocial Intervention"[Mesh] OR "Psychosocial Functioning"[Mesh] OR "Psychosocial Support Systems"[Mesh] OR "Schizophrenia"[Mesh] OR "Sleep"[Mesh] OR "Sleep Initiation and Maintenance Disorders"[Mesh] OR "Stress, Psychological"[Mesh] OR "Stress Disorders, Post-Traumatic"[Mesh] OR "Stress Disorders, Traumatic"[Mesh] OR "Suicide"[Mesh:NoExp] OR "Suicidal Ideation"[Mesh] OR "Suicide, Attempted"[Mesh] OR "Suicide, Completed"[Mesh] OR "Treatment Outcome"[Mesh] OR affect*[tiab] OR agoraphobi*[tiab] OR anorexi*[tiab] OR anxiety[tiab] OR baby-blues[tiab] OR binge[tiab] OR bipolar[tiab] OR bulimi*[tiab] OR delusion*[tiab] OR depression[tiab] OR depressive[tiab] OR distress[tiab] OR dysphoria[tiab] OR dysthymia[tiab] OR eating-disorder[tiab] OR emotion*[tiab] OR fear[tiab] OR insomnia[tiab] OR mania[tiab] OR mental-disorder[tiab] OR mental-health[tiab] OR mood[tiab] OR obsessive-compulsive[tiab] OR panic[tiab] OR perinatal-mental-disorders[tiab] OR perinatal-depression[tiab] OR phobia[tiab] OR postpartum-depression[tiab] OR post-traumatic-stress-disorder[tiab] OR posttraumatic-stress-disorder[tiab] OR psychological-disorder[tiab] OR psychopathology[tiab] OR psychosis[tiab] OR psychosocial[tiab] OR PTSD[tiab] OR schizoaffective[tiab] OR schizophre*[tiab] OR sleep[tiab] OR stress[tiab] OR suici*[tiab] OR trauma[tiab] OR treatment-outcomes[tiab] OR undertreatment[tiab] OR unipolar[tiab] OR well-being[tiab])) **AND** ("American Indians or Alaska Natives"[Mesh] OR Alaska-Native[tiab] OR American-Indian[tiab] OR First-American*[tiab] OR First-People[tiab] OR First-Nations[tiab] OR indigenous[tiab] OR Native-Alaskan[tiab] OR Native-American[tiab] OR Native-Hawaiian[tiab])

ProQuest Search

(SU(("Births" OR "Prenatal Care" OR "Pregnancy")) **AND** (("Identity" OR "Sex Roles" OR "Sexuality")) **AND** ("Demography" OR "Disadvantages" OR "Discrimination" OR "Educational Attainment" OR "Employment" OR "Geography" OR "Housing" OR "Illiteracy" OR "Literacy" OR "Poverty" OR "Social Classes" OR "Social Structure" OR "Sociocultural Factors" OR "Sociodemographics" OR "Socioeconomic Factors" OR "Stigma" OR "Unemployment")) **AND** ("Equality" OR "Equity" OR "Inequality" OR "Risk" OR "Risk Factors")) **AND** ("Affect (Psychology)" OR "Anorexia" OR "Anxiety Disorders" OR "Bulimia" OR "Eating Disorders" OR "Emotional Disorders" OR "Emotions" OR "Fear & Phobias" OR "Mental Depression" OR "Mental Health" OR "Post Traumatic Stress Disorder" OR "Psychological aspects" OR "Psychopathology" OR "Psychosis" OR "Schizophrenia" OR "Self Destructive Behavior" OR "Sleep" OR "Sleep Disorders" OR "Stress" OR "Suicides & Suicide Attempts" OR "Trauma")) **OR** AB, TI((antenatal OR ante-natal OR antepartum OR ante-partum OR childbirth OR gravid* OR intrapartum OR intra-partum OR intranatal OR intra-natal OR parity OR perinatal OR peri-natal OR peripartum OR peri-partum OR pre-natal OR prenatal OR pre-partum OR prepartum OR pregnan* OR primigravid* OR primipar* OR postnatal OR post-natal OR postpartum OR post-partum OR puerperal OR puerperium OR maternal OR multigrav* OR multipar* OR nulligravid* OR nullipar* OR trimester*)) **AND** (((diversity OR ethnic* OR gender OR identity OR minorit* OR race OR racial OR

sexual*)) AND (advers* OR age-factor* OR barriers OR demograph* OR determinant* OR disadvantage* OR discrimination OR dominant OR (education* AND (attain* OR level* OR status)) OR employment OR gatekeeping OR geograph* OR historical-trauma OR housing OR illiterat* OR income OR injustice OR justice OR literacy OR literate OR location OR marginali* OR maternal-morbidity OR maternal-mortality OR poverty OR screen* OR social-class* OR socioeconomic* OR social-status OR stigma OR unemploy* OR underserved OR vulnerable) AND (dispari* OR equal* OR equit* OR health-disparities OR inequit* OR risk OR unequal*)) **AND** (affect* OR agoraphobi* OR anorexi* OR anxiety OR baby-blues OR binge OR bipolar OR bulimi* OR delusion* OR depression OR depressive OR distress OR dysphoria OR dysthymia OR eating-disorder OR emotion* OR fear OR insomnia OR mania OR mental-disorder OR mental-health OR mood OR obsessive-compulsive OR panic OR perinatal-mental-disorders OR perinatal-depression OR phobia OR postpartum-depression OR post-traumatic-stress-disorder OR posttraumatic-stress-disorder OR psychological-disorder OR psychopathology OR psychosis OR psychosocial OR PTSD OR schizoaffective OR schizophreni* OR sleep OR stress OR suici* OR trauma OR treatment-outcomes OR undertreatment OR unipolar OR well-being))) **AND** AB, TI(American-Indian OR First-American* OR First-People OR First-Nations OR indigenous OR Native-Alaskan OR Native-American OR Native-Hawaiian)

PsycINFO (EBSCO)

(DE(("Antepartum Period" OR "Birth" OR "Intrapartum Period" OR "Perinatal Period" OR "Prenatal Care" OR "Pregnancy" OR "Primipara" OR "Postnatal Period" OR "Multiple Births")) **AND** (("Diversity" OR "Gender Identity" OR "Self-Concept" OR "Sexuality" OR "Sexual Orientation" OR "Sexual Minority Groups")) AND ("Adversity" OR "Age Differences" OR "Age Discrimination" OR "Demographic Characteristics" OR "Disadvantaged" OR "Discrimination" OR "Educational Attainment Level" OR "Employment Status" OR "Geography" OR "Housing" OR "Income Level" OR "Literacy" OR "Marginalized Groups" OR "Poverty" OR "Poverty Areas" OR "Screening" OR "Screening Tests" OR "Social Class" OR "Social Status" OR "Socioeconomic Factors" OR "Socioeconomic Status" OR "Stigma" OR "Treatment Barriers" OR "Unemployment") AND ("Social Equality" OR "Health Disparities" OR "Risk Factors")) **AND** ("Affective Disorders" OR "Agoraphobia" OR "Anorexia Nervosa" OR "Anxiety" OR "Anxiety Disorders" OR "Anxiety Management" OR "Anxiety Sensitivity" OR "Attempted Suicide" OR "Binge Eating" OR "Binge Eating Disorder" OR "Bipolar Disorder" OR "Bulimia" OR "Delusions" OR "Depression (Emotion)" OR "Distress" OR "Dysthymic Disorder" OR "Eating Disorders" OR "Emotion Recognition" OR "Emotional Adjustment" OR "Emotional Health" OR "Emotional Intelligence" OR "Emotional Regulation" OR "Emotional Responses" OR "Emotional Stability" OR "Emotional States" OR "Emotional Trauma" OR "Fear" OR "Insomnia" OR "Major Depression" OR "Mania" OR "Mental Disorders" OR "Mental Health" OR "Obsessive Compulsive Disorder" OR "Obsessive Compulsive Personality Disorder" OR "Panic" OR "Panic Disorder" OR "Phobias" OR "Postpartum Depression" OR "Postpartum Psychosis" OR "Posttraumatic Stress" OR "Posttraumatic Stress Disorder" OR "Psychological Stress" OR "Psychopathology" OR "Psychosis" OR "Psychosocial Factors" OR "Schizoaffective Disorder" OR "Schizophrenia" OR "Sleep" OR "Sleep Deprivation" OR "Sleep Quality" OR "Sleep Wake Disorders" OR "Stress" OR "Stress and Trauma Related Disorders" OR "Suicide" OR "Suicidal Ideation" OR "Suicidality" OR "Trauma" OR "Treatment Outcomes" OR "Well Being")) **OR** TI((antenatal OR ante-natal OR antepartum OR ante-partum

OR childbirth OR gravid* OR intrapartum OR intra-partum OR intranatal OR intra-natal OR parity OR perinatal OR peri-natal OR peripartum OR peri-partum OR pre-natal OR prenatal OR pre-partum OR prepartum OR pregnan* OR primigravid* OR primipar* OR postnatal OR post-natal OR postpartum OR post-partum OR puerperal OR puerperium OR maternal OR multigrav* OR multipar* OR nulligravid* OR nullipar* OR trimester*) **AND** ((diversity OR ethnic* OR gender OR identity minorit* OR race OR racial OR sexual*)) AND (advers* OR age-factor* OR barriers OR demograph* OR determinant* OR disadvantage* OR discrimination OR dominant OR (education* AND (attain* OR level* OR status)) OR employment OR gatekeeping OR geograph* OR historical-trauma OR housing OR illitera* OR income OR injustice OR justice OR literacy OR literate OR location OR marginali* OR maternal-morbidity OR maternal-mortality OR poverty OR screen* OR social-class* OR socioeconomic* OR social-status OR stigma OR unemploy* OR underserved OR vulnerable) AND (dispari* OR equal* OR equit* OR health-disparities OR inequit* OR risk OR unequal*)) **AND** (affect* OR agoraphobi* OR anorexi* OR anxiety OR baby-blues OR binge OR bipolar OR bulimi* OR delusion* OR depression OR depressive OR distress OR dysphoria OR dysthymia OR eating-disorder OR emotion* OR fear OR insomnia OR mania OR mental-disorder OR mental-health OR mood OR obsessive-compulsive OR panic OR perinatal-mental-disorders OR perinatal-depression OR phobia OR postpartum-depression OR post-traumatic-stress-disorder OR posttraumatic-stress-disorder OR psychological-disorder OR psychopathology OR psychosis OR psychosocial OR PTSD OR schizoaffective OR schizophreni* OR sleep OR stress OR suici* OR trauma OR treatment-outcomes OR undertreatment OR unipolar OR well-being)) **OR** AB((antenatal OR ante-natal OR antepartum OR ante-partum OR childbirth OR gravid* OR intrapartum OR intra-partum OR intranatal OR intra-natal OR parity OR perinatal OR peri-natal OR peripartum OR peri-partum OR pre-natal OR prenatal OR pre-partum OR prepartum OR pregnan* OR primigravid* OR primipar* OR postnatal OR post-natal OR postpartum OR post-partum OR puerperal OR puerperium OR maternal OR multigrav* OR multipar* OR nulligravid* OR nullipar* OR trimester*) **AND** ((diversity OR ethnic* OR gender OR identity minorit* OR race OR racial OR sexual*)) AND (advers* OR age-factor* OR barriers OR demograph* OR determinant* OR disadvantage* OR discrimination OR dominant OR (education* AND (attain* OR level* OR status)) OR employment OR gatekeeping OR geograph* OR historical-trauma OR housing OR illitera* OR income OR injustice OR justice OR literacy OR literate OR location OR marginali* OR maternal-morbidity OR maternal-mortality OR poverty OR screen* OR social-class* OR socioeconomic* OR social-status OR stigma OR unemploy* OR underserved OR vulnerable) AND (dispari* OR equal* OR equit* OR health-disparities OR inequit* OR risk OR unequal*)) **AND** (affect* OR agoraphobi* OR anorexi* OR anxiety OR baby-blues OR binge OR bipolar OR bulimi* OR delusion* OR depression OR depressive OR distress OR dysphoria OR dysthymia OR eating-disorder OR emotion* OR fear OR insomnia OR mania OR mental-disorder OR mental-health OR mood OR obsessive-compulsive OR panic OR perinatal-mental-disorders OR perinatal-depression OR phobia OR postpartum-depression OR post-traumatic-stress-disorder OR posttraumatic-stress-disorder OR psychological-disorder OR psychopathology OR psychosis OR psychosocial OR PTSD OR schizoaffective OR schizophreni* OR sleep OR stress OR suici* OR trauma OR treatment-outcomes OR undertreatment OR unipolar OR well-being))) **AND** (DE("Alaska Natives" OR "American Indians") OR TI(Alaska-Native OR American-Indian OR First-American* OR First-People OR First-Nations OR indigenous OR Native-Alaskan Native-American

OR Native-Hawaiian) OR AB(Alaska-Native OR American-Indian OR Native-American OR Native-Hawaiian))

Scopus

(TITLE-ABS((antenatal OR ante-natal OR antepartum OR ante-partum OR childbirth OR gravid* OR intrapartum OR intra-partum OR intranatal OR intra-natal OR parity OR perinatal OR perinatal OR peripartum OR peri-partum OR pre-natal OR prenatal OR pre-partum OR prepartum OR pregnan* OR primigravid* OR primipar* OR postnatal OR post-natal OR postpartum OR postpartum OR puerperal OR puerperium OR maternal OR multigrav* OR multipar* OR nulligravid* OR nullipar* OR trimester*) **AND** (((diversity OR ethnic* OR gender OR identity OR minorit* OR race OR racial OR sexual*)) AND (advers* OR age-factor* OR barriers OR demograph* OR determinant* OR disadvantage* OR discrimination OR dominant OR (education* AND (attain* OR level* OR status)) OR employment OR gatekeeping OR geograph* OR historical-trauma OR housing OR illiterat* OR income OR injustice OR justice OR literacy OR literate OR location OR marginali* OR maternal-morbidity OR maternal-mortality OR poverty OR screen* OR social-class* OR socioeconomic* OR social-status OR stigma OR unemploy* OR underserved OR vulnerable) AND (dispari* OR equal* OR equit* OR health-disparities OR inequit* OR risk OR unequal*)) **AND** (affect* OR agoraphobi* OR anorexi* OR anxiety OR baby-blues OR binge OR bipolar OR bulimi* OR delusion* OR depression OR depressive OR distress OR dysphoria OR dysthymia OR eating-disorder OR emotion* OR fear OR insomnia OR mania OR mental-disorder OR mental-health OR mood OR obsessive-compulsive OR panic OR perinatal-mental-disorders OR perinatal-depression OR phobia OR postpartum-depression OR post-traumatic-stress-disorder OR posttraumatic-stress-disorder OR psychological-disorder OR psychopathology OR psychosis OR psychosocial OR PTSD OR schizoaffective OR schizophreni* OR sleep OR stress OR suici* OR trauma OR treatment-outcomes OR undertreatment OR unipolar OR well-being))) **AND** (TITLE-ABS(Alaska-Native OR American-Indian OR First-American* OR First-People OR First-Nations OR indigenous OR Native-Alaskan OR Native-American OR Native-Hawaiian))

SocINDEX (EBSCO)

(DE(("Childbirth" OR "Maternal Health" OR "Multiple Birth" OR "Parity (Obstetrics)" OR "Prenatal Care" OR "Pregnancy" OR "Pregnant Women") **AND** (("Gender" OR "Identity (Psychology)" OR "Sexual Diversity" OR "Sexual Minorities" OR "Sexual Orientation") AND ("Age" OR "Cultural Literacy" OR "Demography" OR "Discrimination" OR "Dominant Culture" OR "Dominant Ideologies" OR "Educational Attainment" OR "Employment" OR "Geography" OR "Housing" OR "Illiterate Persons" OR "Income" OR "Literacy" OR "Medical Screening" OR "Poor People" OR "Poverty" OR "Social Classes" OR "Socioeconomic Factors" OR "Social Marginality" OR "Social Status" OR "Social Stigma" OR "Unemployment") AND ("Equality" OR "Equity" OR "Health Equity")) **AND** ("Affect (Psychology)" OR "Affective Disorders" OR "Anxiety" OR "Anxiety Disorders" OR "Binge-Eating Disorder" OR "Bipolar Disorder" OR "Bulimia" OR "Compulsive Eating" OR "Distress (Psychology)" OR "Eating Disorders" OR "Emotional Trauma" OR "Emotions" OR "Fear" OR "Mental Depression" OR "Mental Health" OR "Mental Illness" OR "Mood (Psychology)" OR "Obsessive-Compulsive Disorder" OR "Obsessive-Compulsive Personality Disorder" OR "Panic" OR "Pathological Psychology" OR "Phobias" OR "Post-traumatic Stress" OR "Post-traumatic Stress Disorder" OR "Psychoses" OR "Psychosocial Factors" OR "Psychotic

Depression" OR "Schizophrenia" OR "Sleep" OR "Sleep--Psychological Aspects" OR "Suicide" OR "Suicidal Ideation" OR "Well-Being")) **OR** TI((antenatal OR ante-natal OR antepartum OR ante-partum OR childbirth OR gravid* OR intrapartum OR intra-partum OR intranatal OR intra-natal OR parity OR perinatal OR peri-natal OR peripartum OR peri-partum OR pre-natal OR prenatal OR pre-partum OR prepartum OR pregnan* OR primigravid* OR primipar* OR postnatal OR post-natal OR postpartum OR post-partum OR puerperal OR puerperium OR maternal OR multigrav* OR multipar* OR nulligravid* OR nullipar* OR trimester*)) **AND** ((diversity OR ethnic* OR gender OR identity minorit* OR race OR racial OR sexual*)) **AND** (advers* OR age-factor* OR barriers OR demograph* OR determinant* OR disadvantage* OR discrimination OR dominant OR (education* **AND** (attain* OR level* OR status)) OR employment OR gatekeeping OR geograph* OR historical-trauma OR housing OR illitera* OR income OR injustice OR justice OR literacy OR literate OR location OR marginali* OR maternal-morbidity OR maternal-mortality OR poverty OR screen* OR social-class* OR socioeconomic* OR social-status OR stigma OR unemploy* OR underserved OR vulnerable) **AND** (dispari* OR equal* OR equit* OR health-disparities OR inequit* OR risk OR unequal*)) **AND** (affect* OR agoraphobi* OR anorexi* OR anxiety OR baby-blues OR binge OR bipolar OR bulimi* OR delusion* OR depression OR depressive OR distress OR dysphoria OR dysthymia OR eating-disorder OR emotion* OR fear OR insomnia OR mania OR mental-disorder OR mental-health OR mood OR obsessive-compulsive OR panic OR perinatal-mental-disorders OR perinatal-depression OR phobia OR postpartum-depression OR post-traumatic-stress-disorder OR posttraumatic-stress-disorder OR psychological-disorder OR psychopathology OR psychosis OR psychosocial OR PTSD OR schizoaffective OR schizophreni* OR sleep OR stress OR suici* OR trauma OR treatment-outcomes OR undertreatment OR unipolar OR well-being)) **OR** AB((antenatal OR ante-natal OR antepartum OR ante-partum OR childbirth OR gravid* OR intrapartum OR intra-partum OR intranatal OR intra-natal OR parity OR perinatal OR peri-natal OR peripartum OR peri-partum OR pre-natal OR prenatal OR pre-partum OR prepartum OR pregnan* OR primigravid* OR primipar* OR postnatal OR post-natal OR postpartum OR post-partum OR puerperal OR puerperium OR maternal OR multigrav* OR multipar* OR nulligravid* OR nullipar* OR trimester*)) **AND** ((diversity OR ethnic* OR gender OR identity minorit* OR race OR racial OR sexual*)) **AND** (advers* OR age-factor* OR barriers OR demograph* OR determinant* OR disadvantage* OR discrimination OR dominant OR (education* **AND** (attain* OR level* OR status)) OR employment OR gatekeeping OR geograph* OR historical-trauma OR housing OR illitera* OR income OR injustice OR justice OR literacy OR literate OR location OR marginali* OR maternal-morbidity OR maternal-mortality OR poverty OR screen* OR social-class* OR socioeconomic* OR social-status OR stigma OR unemploy* OR underserved OR vulnerable) **AND** (dispari* OR equal* OR equit* OR health-disparities OR inequit* OR risk OR unequal*)) **AND** (affect* OR agoraphobi* OR anorexi* OR anxiety OR baby-blues OR binge OR bipolar OR bulimi* OR delusion* OR depression OR depressive OR distress OR dysphoria OR dysthymia OR eating-disorder OR emotion* OR fear OR insomnia OR mania OR mental-disorder OR mental-health OR mood OR obsessive-compulsive OR panic OR perinatal-mental-disorders OR perinatal-depression OR phobia OR postpartum-depression OR post-traumatic-stress-disorder OR posttraumatic-stress-disorder OR psychological-disorder OR psychopathology OR psychosis OR psychosocial OR PTSD OR schizoaffective OR schizophreni* OR sleep OR stress OR suici* OR trauma OR treatment-outcomes OR undertreatment OR unipolar OR well-being))) **AND** (DE("Native Americans" OR "Native Peoples")) **OR** TI(Alaska-Native OR American-Indian OR First-

American* OR First-People OR First-Nations OR indigenous OR Native-Alaskan OR Native-American OR Native-Hawaiian) **OR** AB(Alaska-Native OR American-Indian OR Native-American OR Native-Hawaiian))

Sociological Abstracts (ProQuest)

(SU(("Birth" OR "Prenatal Care" OR "Pregnancy") **AND** (("Identity" OR "Sex Role Identity" OR "Sexuality") **AND** ("Constraints" OR "Demography" OR "Disadvantaged" OR "Discrimination" OR "Dominant Ideologies" OR "Educational Attainment" OR "Employment" OR "Geography" OR "Housing" OR "Literacy" OR "Marginality" OR "Poverty" OR "Social Class" OR "Social Status" OR "Sociodemographic Characteristics" OR "Sociodemographic Factors" OR "Socioeconomic Status" OR "Socioeconomically Disadvantaged" OR "Stigma" OR "Unemployment" OR "Vulnerability") **AND** ("Equality" OR "Equity" OR "Inequality" OR "Risk" OR "Risk Factors")) **AND** ("Affective Illness" OR "Anorexia Nervosa" OR "Anxiety" OR "Bulimia" OR "Depression (Psychology)" OR "Eating Disorders" OR "Emotions" OR "Fear" OR "Irrationality" OR "Mental Health" OR "Phobias" OR "Posttraumatic Stress Disorder" OR "Psychological Distress" OR "Psychological Stress" OR "Psychopathology" OR "Psychosis" OR "Psychosocial Factors" OR "Schizophrenia" OR "Self Destructive Behavior" OR "Sleep" OR "Stress" OR "Suicide" OR "Trauma" OR "Treatment Outcomes" OR "Well Being")) **OR** AB,TI((antenatal OR ante-natal OR antepartum OR antepartum OR childbirth OR gravid* OR intrapartum OR intra-partum OR intranatal OR intra-natal OR parity OR perinatal OR peri-natal OR peripartum OR peri-partum OR pre-natal OR prenatal OR pre-partum OR prepartum OR pregnan* OR primigravid* OR primipar* OR postnatal OR post-natal OR postpartum OR post-partum OR puerperal OR puerperium OR maternal OR multigrav* OR multipar* OR nulligravid* OR nullipar* OR trimester*) **AND** (((diversity OR ethnic* OR gender OR identity OR minorit* OR race OR racial OR sexual*)) **AND** (advers* OR age-factor* OR barriers OR demograph* OR determinant* OR disadvantag* OR discrimination OR dominant OR (education* **AND** (attain* OR level* OR status)) OR employment OR gatekeeping OR geograph* OR historical-trauma OR housing OR illitera* OR income OR injustice OR justice OR literacy OR literate OR location OR marginali* OR maternal-morbidity OR maternal-mortality OR poverty OR screen* OR social-class* OR socioeconomic* OR social-status OR stigma OR unemploy* OR underserved OR vulnerable) **AND** (dispari* OR equal* OR equit* OR health-disparities OR inequit* OR risk OR unequal*)) **AND** (affect* OR agoraphobi* OR anorexi* OR anxiety OR baby-blues OR binge OR bipolar OR bulimi* OR delusion* OR depression OR depressive OR distress OR dysphoria OR dysthymia OR eating-disorder OR emotion* OR fear OR insomnia OR mania OR mental-disorder OR mental-health OR mood OR obsessive-compulsive OR panic OR perinatal-mental-disorders OR perinatal-depression OR phobia OR postpartum-depression OR post-traumatic-stress-disorder OR posttraumatic-stress-disorder OR psychological-disorder OR psychopathology OR psychosis OR psychosocial OR PTSD OR schizoffective OR schizophreni* OR sleep OR stress OR suici* OR trauma OR treatment-outcomes OR undertreatment OR unipolar OR well-being))) **AND** AB,TI(American-Indian OR First-American* OR First-People OR First-Nations OR indigenous OR Native-Alaskan OR Native-American OR Native-Hawaiian)